Pending Claims:

The Pending Claims are set forth below:

- 1. (previously amended) An immortalized sebocyte derived from a human.
- 2. (previously amended) The sebocyte according to claim 1, characterized in that it is derived from a human sebaceous gland cell.
- 3. (previously amended) The sebocyte according to claim 2, characterized in that the sebaceous gland cell is a facial sebaceous gland cell.
- 4. (previously amended) The sebocyte according to claim 1, characterized in that it is present in form of a cell line.
- 5. (previously amended) The sebocyte according to claim 1, characterized in that it is immortalized by transfection of DNA.
- 6. (previously amended) The sebocyte according to claim 1, characterized in that it expresses a SV-40 large T antigen.
- 7. (previously amended) The sebocyte according to claim 1, characterized in that it exhibits features of a normal, non-transfected and differentiating sebocyte.
- 8. (previously amended) The sebocyte according to claim 1, characterized in that its proliferation is modifiable by an androgen and/or a retinoid.
- 9. (previously amended) The sebocyte according to claim 1, characterized in that it is cloned.

- 10. Human sebocyte cell line DSM ACC2383.
- 11-22. (previously cancelled)
- 23. (previously added) The sebocyte according to claim 2, characterized in that it is present in form of a cell line.
- 24. (previously added) The sebocyte according to claim 2, characterized in that it is immortalized by transfection of DNA.
- 25. (previously added) The sebocyte according to claim 2, characterized in that it expresses a SV-40 large T antigen.
- 26. (previously added) The sebocyte according to claim 2, characterized in that it exhibits a feature of a normal, non-transfected and differentiating sebocyte.
- 27. (previously added) The sebocyte according to claim 2, characterized in that its proliferation is modifiable by an androgen and/or a retinoid.
- 28. (previously added) The sebocyte according to claim 2, characterized in that it is cloned.
- 29. (previously added) The sebocyte according to claim 3, characterized in that it is present in form of a cell line.
- 30. (previously added) The sebocyte according to claim 3, characterized in that it is immortalized by transfection of DNA.

- 31. (previously added) The sebocyte according to claim 3, characterized in that it expresses a SV-40 large T antigen.
- 32. (previously added) The sebocyte according to claim 3, characterized in that it exhibits a feature of a normal, non-transfected and differentiating sebocyte.
- 33. (previously added) The sebocyte according to claim 3, characterized in that its proliferation is modifiable by an androgen and/or a retinoid.
- 34. (previously added) The sebocyte according to claim 3, characterized in that it is cloned.
- 35. (previously added) The sebocyte according to claim 4, characterized in that it is immortalized by transfection of DNA.
- 36. (previously added) The sebocyte according to claim 4, characterized in that it expresses a SV-40 large T antigen.
- 37. (previously added) The sebocyte according to claim 4, characterized in that it exhibits a feature of a normal, non-transfected and differentiating sebocyte.
- 38. (previously added) The sebocyte according to claim 4, characterized in that its proliferation is modifiable by an androgen and/or a retinoid.
 - 39. (previously withdrawn)
- 40. (previously added) The sebocyte according to claim 5, characterized in that it expresses a SV-40 large T antigen.

- 41. (previously added) The sebocyte according to claim 5, characterized in that it exhibits a feature of a normal, non-transfected and differentiating sebocyte.
- 42. (previously added) The sebocyte according to claim 5, characterized in that its proliferation is modifiable by an androgen and/or a retinoid.
 - 43. (previously withdrawn)
- 44. (previously added) The sebocyte according to claim 6, characterized in that it exhibits a feature of a normal, non-transfected and differentiating sebocyte.
- 45. (previously added) The sebocyte according to claim 6, characterized in that its proliferation is modifiable by an androgen and/or a retinoid.
 - 46. (previously withdrawn)
- 47. (previously added) The sebocyte according to claim 7, characterized in that its proliferation is modifiable by an androgen and/or retinoid.
 - 48-62. (previously withdrawn)
- 63. (previously added) An immortalized sebocyte, wherein the sebocyte expresses one or more antigens selected from the group consisting of: sebaceous gland antigen, human milk fat globulin-1, human milk fat globulin-2, human epithelial sialomucin, Thomsen-Friedenreich antigen, mucin-type carcinoma-associated antigen, epithelial membrane antigen, Keratin 7, Keratin 13, Keratin 19, and 5α-reductase of type 1.

- 64. (previously added) The sebocyte of claim 63, wherein the sebocyte expresses sebaceous gland antigen, human milk fat globulin-1, human milk fat globulin-2, human epithelial sialomucin, Thomsen-Friedenreich antigen, mucin-type carcinoma-associated antigen, epithelial membrane antigen, Keratin 7, Keratin 13, Keratin 19, and 5α-reductase of type 1.
- 65. (previously added) The sebocyte of claim 63, wherein the sebocyte is in the form of a cell line.
- 66. (previously added) An immortalized sebocyte, wherein the sebocyte expresses one or more lipids selected from the group consisting of: squalene, wax ester, triglycerides, cholesterol, cholesterol ester, diglycerides, lanosterol, and free fatty acids.
- 67. (previously added) The sebocyte of claim 66, wherein the sebocyte expresses squalene, wax ester, triglycerides, cholesterol, cholesterol ester, diglycerides, lanosterol, and free fatty acids.
- 68. (previously added) The sebocyte of claim 66, wherein the sebocyte is in the form of a cell line.